


March 2026

Office of Emergency Management, Division of Military, Executive Office of Governor
Haz Mat Deficiency Warrant Report Form

ID#	Description	Amount		Date to Board
2025-00248	Diesel	\$318.38	Response to diesel spill into the basement of a residence (CANYON COUNTY)	3/5/2026
	TOTAL	\$318.38		



CITY OF *Caldwell, Idaho*

Summary Letter

February 2, 2026

City Hall
205 South 6th Avenue
Caldwell, Idaho 83605

Post Office Box
P.O. Box 1179
Caldwell, Idaho 83606

Fire Administration
621 Cleveland Blvd.
Caldwell, Idaho 83605

Website
www.cityofcaldwell.org



BRYAN DANIELS
Fire Chief

MATT SHUPE
Deputy Chief / Operations

ALAN PERRY
Fire Marshal
Deputy Chief / Fire Prevention

CORY GERARD
Deputy Chief / Administration

208.455.3032
(f) 208.455.3014

Idaho Office of Emergency Management
Attn: Yolandi Faulkner
4040 Guard St., Bldg. 600
Boise, ID 83705-5004

Re: Invoice for HazMat Response
Date of Incident: 12-21-2025

State Comm #: H-2025-00248

Please consider this letter an invoice for reimbursement in response to the above referenced hazardous materials incident.

Please send payment to: Caldwell Fire Department
621 Cleveland Blvd
Caldwell, ID 83605

The costs relating to the incident are as follows:

1) Absorbent pads and absorbent boom socks	\$318.38
	<hr/>
Total	\$318.38

I hereby certify that all the costs submitted were incurred as a result of response to this incident and that we have not nor will receive payment for these costs from any other source. I certify that the personnel costs are for overtime pay and recalled personnel. These costs would not have been incurred had the incident not occurred.

Sincerely,

Dewayne Birch
Caldwell Fire Department

"The Treasure of the Valley"



**IDAHO OFFICE OF EMERGENCY MANAGEMENT
INCIDENT REPORT**

STATE COMM NUMBER: H-2025-00248

AGENCY SUBMITTING CLAIM: Caldwell Fire Department INCIDENT DATE: 12-21-2025

RESPONDING AGENCY (IES)

ADDRESS(S): Caldwell Fire Department 621 Cleveland Blvd Caldwell, ID 83605

COMPLETED BY: Dewayne Birch PHONE #: 208-859-9145

E-MAIL ADDRESS: dbirch@cityofcaldwell.org

INCIDENT LOCATION: 404 W. Elm St

CITY: Caldwell COUNTY: Canyon ZIP: 83605

GPS COORDINATES (If available): 43.65359, -11670219

TIME RESPONSE BEGAN: 12:49 ENDED: 15:46

INCIDENT COMMANDER: Dewayne Birch AGENCY: Caldwell Fire Department

RESPONSE TEAM LEADER Dewayne Birch RRT: RRT 3

SOURCE/CAUSE OF RESPONSE: Diesel spill into the basement of a house

RESPONSIBLE PARTY/SUSPECT: Keith Fearn

CONTACT NAME: Keith Fearn TITLE: Property Owner

MAILING ADDRESS: 404 W. Elm St CITY: Caldwell STATE: ID ZIP: 83605

TELEPHONE: 208-459-4227 MESSAGE PHONE:

INSURANCE COMPANY: Farm Bureau AGENT: Brett Paynter

ADDRESS: CITY: STATE: ZIP:

TELEPHONE: MESSAGE PHONE:

INCIDENT INFORMATION: The Caldwell Fire Department was dispatched to the above address for a report of a diesel spill into the basement of a residence. Caldwell Engine 13, Truck 11, and Battalion 2 all three responded to the incident

SUBSTANCE(S) INVOLVED: Diesel Fuel

SUMMARY OF RESPONSE ACTION: On scene, Engine 13's crew entered the basement through the interior staircase to air monitor, open windows and ventilate, and to apply absorbent pads and booms. 600 absorbent pads were placed on the floor to soak up the diesel and 20 small boom socks were placed the basement's sump and around the door to the exterior staircase. Truck 11's crew placed straps around the fuel tank and removed it from the exterior staircase and placed it back upright in the backyard. After the absorbent pads were placed, the house ventilated, and the fuel tank secured, the property was turned back over to the homeowner so that he could arrange for clean-up to be done. All Caldwell Fire Department crews cleared the scene and returned to service.

ADDITIONAL INFORMATION

DOCUMENTATION ATTACHED:

PHOTOS: VIDEO: RECEIPTS: NARRATIVE/TIMELINE:

IDAHO OFFICE OF EMERGENCY MANAGEMENT
 COST RECOVERY PROGRAM
 4040 Guard St., Bldg. 600
 Boise, ID 83705-5004

MEDICAL TREATMENT - Idaho Code Section 39-7109(g)

DIRECTIONS: Please complete this section for reimbursement of medical treatment costs for response personnel. Receipts for services provided must be attached.

DEPARTMENT NAME:

Name	Description of Medical Treatment	Total Cost
TOTALS		\$ 0

VEHICLES AND APPARATUS - Idaho Code Section 39-7109(c) and (d)

DIRECTIONS: Please complete this section for reimbursement of vehicles and apparatus used specifically for the response. Indicate if the amount claimed is for rental, leasing or replacement. Receipts must be attached.

DEPARTMENT NAME:

Item	Rent Lease or Replace	Qty	Total Hours	Unit Cost or Hourly Rate	Total Cost
TOTALS					\$ 0

IDAHO OFFICE OF EMERGENCY MANAGEMENT
 COST RECOVERY PROGRAM
 4040 Guard St., Bldg. 600
 Boise, ID 83705-5004

MATERIALS/SUPPLIES/DECON - Idaho Code Section 39-7109 (a),(e) and (i)

DIRECTIONS: Please complete this section for reimbursement of materials, supplies and decon of equipment costs incurred as a result of the incident. Receipts for these costs must be attached.

DEPARTMENT NAME:

Item	Qty	Unit Cost	Total Cost
Absorbent Boom Socks	20	\$76.52 / Box	76.52
Absorbent Pads	600	\$80.62 / Box	241.86
TOTALS			\$ 318.38

MISCELLANEOUS/TECHNICAL SERVICES/LAB COSTS - Idaho Code Section 39-7109 (b), (f) and (h)

DIRECTIONS: Please complete this section for reimbursement of miscellaneous costs, technical services and lab costs utilized specifically for the response. Receipts must be attached.

DEPARTMENT NAME:

Item or Technical Advisor	Qty	Unit Cost or Hourly Rate	Total Cost
TOTALS			\$ 0



INCIDENT

Incident Number: 25CF-8456 Incident Date: 12/21/2025 NFIRS Number: 0007936 Incident Type: (413) - Oil or other combustible liquid spill

FDID: 27211 Station: Caldwell Fire Station 11 Shift: C Shift District: 161A

Initial Dispatch Code: FuelSpill-C

Alarms: Working Fire? COVID-19 was a factor Critical Incident

Temporary Resident Involvement

Hazardous Materials Released

Action Taken 1: (43) - Hazardous materials spill control and confinement

Action Taken 2: (42) - HazMat detection, monitoring, sampling, & analysis

AID

Aid Given/Received: (N) - None

LOCATION

Location Type: (1) - Street address

Address: 404 West Elm Street, , Caldwell, Idaho, 83605

Cross Street, USNG, or Directions Latitude: 0.00000000 Longitude: 0.00000000 Census Tract

Detector Alerted Occupant

Property Use: (419) - 1 or 2 family dwelling Mixed Use

TIMES

Dispatch Notified Time: 12:49:44, 12/21/2025 Alarm Time: 12:49:44, 12/21/2025

Arrival Time: 12:57:28, 12/21/2025 Water on Fire Time At Patient Time

TIMES

Loss Stop Time	Controlled Time	Last Unit Cleared Time
_____	_____	15:46:00, 12/21/2025
Total On Scene Time	Total Incident Time	
2 hrs 48 mins 32 sec	2 hrs 56 mins 16 sec	

COUNTS

Counts Include Aid Received?
No

Suppression:		EMS:		Other:	
Apparatus	Personnel	Apparatus	Personnel	Apparatus	Personnel
2	7	0	0	1	1

PERSON/OWNER

Person:

Name	Business Name	Phone
_____	_____	_____

Address

AUTHORIZATION

Report Writer:

Name	Employee Number	Assignment	Authorization Date
BIRCH, DEWAYNE	0206	Engine 13	_____

Officer in Charge:

Name	Employee Number	Assignment	Authorization Date
BIRCH, DEWAYNE	0206	Engine 13	_____

Quality Control:

Name	Authorization Date
_____	_____

INCIDENT NARRATIVE

Engine 13, Truck 11, and Battalion 2 were dispatched to the above location for a hazmat incident. Updates given were that diesel fuel was leaking into the basement of the residence. Battalion 2 and Truck 11 both arrived on scene first and assessed the situation. Due to the fuel being in the basement and strong fumes being in the home, the residents were advised to leave. Battalion 2 established command and Truck 11 started to work on securing the fuel tank. Upon arrival, Engine 13 met face to face with Command and Truck 11's captain and received a report. Engine 13 was advised that the fuel tank had tipped over pouring the diesel fuel down the exterior stairwell and into the basement. It was reported that the homeowner had already capped the tank to stop the leak and that Truck 11's crew was currently working on up righting the tank and securing it so that it would not fall over again. It was determined that the tank fell over due to softening ground from the extensive rainfall that had been received during the previous night and all morning. Engine 13 was also advised that the tank holds 280 gallons and that it was mostly full at the time that it tipped over. Engine 13's crew geared up with full ppe and SCBA and made entry into the house with a multi-gas air monitor and absorbent pads and booms. Upon entering the interior stairwell and making it to the basement, readings on the air monitor were at around 120 ppm on the VOC sensor. Windows were opened and Truck 11 was advised to set up a positive pressure fan at the top of the exterior stairwell and open the exterior basement door. Engine 13 started to place the absorbent pads and booms on the floor to start soaking up the diesel fuel. It was determined that approximately 130-140 gallons of fuel had leaked into the basement. Engine 13 used all of the absorbent pads it had on the engine and utilized one long boom and 20 small booms. A call was made to State Communications to initiate a conference call with Idaho Office of Emergency Management, Southwest District Health, and DEQ to advise of the situation. Battalion 2 responded back to the station to get more absorbent pads. Engine 13 kept the homeowner updated on the efforts being done in the basement. Battalion 2 returned with more absorbent pads. Approximately 600 15"x20" pads had been placed in total to absorb as much diesel as possible. A significant amount of the diesel had soaked up into clothes, boxes, rugs, and bed box springs. With the assistance of ventilation, readings dropped to 11 ppm on the VOC sensor of the air monitor. Engine 13 then took the homeowner down to the basement to show what had been done and the extent of the damage. He was advised at that time that he was responsible for the clean-up but due to vapors still being present, he and his family would not be able to stay there until the clean-up could be done. He understood the situation and mentioned that he had a dump trailer and would start working immediately to get the basement cleaned up. He also mentioned that he had already contacted his homeowner's insurance and was waiting for a phone call back. Engine 13 advised Command that Truck 11 could clear. After one final walk through, the property was turned back over to the homeowner and Battalion 2 ensured that the family was put up at the Best Western Hotel in town and was given a \$100.00 gift card from the firefighters. After confirming there was no additional assistance needed, Command was terminated and Engine 13 cleared the scene and called State Communications to notify the incident was terminated.

Created By: BIRCH, DEWAYNE

Unit Reports

E13

Use (1) - Suppression	Responding From	Priority Emergent
Response Delays		
Distance		
Dispatch Time 12:53:53, 12/21/2025	Enroute Time 12:55:42, 12/21/2025	Arrival Time 13:04:24, 12/21/2025
At Patient Time	Clear Time 15:46:00, 12/21/2025	In District Time
Actions Taken: Hazardous materials spill control and confinement, HazMat detection, monitoring, sampling, & analysis		
Person 1: BIRCH, DEWAYNE		
Action Taken 1 (43) - Hazardous materials spill control and confinement		
Action Taken 2 (42) - HazMat detection, monitoring, sampling, & analysis		
Patient Contact? No	Medical PPE Worn None	

Person 1: BIRCH, DEWAYNE

Fire Products Exposed To

None

PPE Worn During Incident

Mask, Coat, Structure Firefighting Helmet, Boots, SCBA, Firefighting Gloves, Pant, Hood

PPE Malfunction?

No

Barrier Breach

No

Black Soot Around

Nose

No

Black Soot Around

Mouth

No

Decontamination Procedures Completed

Wet brush gear with soap

Person 2: STRICKLER, LACEY

Action Taken 1

(43) - Hazardous materials spill control and confinement

Action Taken 2

(42) - HazMat detection, monitoring, sampling, & analysis

Patient Contact?

No

Medical PPE Worn

None

Fire Products Exposed To

None

PPE Worn During Incident

SCBA, Boots, Pant, Mask, Hood, Structure Firefighting Helmet, Firefighting Gloves, Coat

PPE Malfunction?

No

Barrier Breach

No

Black Soot Around

Nose

No

Black Soot Around

Mouth

No

Decontamination Procedures Completed

Wet brush gear with soap

Person 3: WALKER, BRYAN

Action Taken 1

(43) - Hazardous materials spill control and confinement

Action Taken 2

(42) - HazMat detection, monitoring, sampling, & analysis

Patient Contact?

No

Medical PPE Worn

None

Fire Products Exposed To

None

PPE Worn During Incident

Structure Firefighting Helmet, Pant, Boots, Hood, Mask, Coat, Firefighting Gloves, SCBA

PPE Malfunction?

No

Barrier Breach

No

Black Soot Around

Nose

No

Black Soot Around

Mouth

No

Decontamination Procedures Completed

Wet brush gear with soap

T11

Use (1) - Suppression	Responding From	Priority Emergent
---------------------------------	-----------------	-----------------------------

Response Delays
None/No Delay

Dispatch Time 12:52:41, 12/21/2025	Enroute Time 12:53:52, 12/21/2025	Arrival Time 12:59:10, 12/21/2025
--	---	---

At Patient Time	Clear Time 14:46:19, 12/21/2025	In District Time
-----------------	---	------------------

Actions Taken:
Hazardous materials leak control & containment, Ventilate

Person 1: Baldwin, Corbin

Action Taken 1
(44) - Hazardous materials leak control & containment

Action Taken 2
(51) - Ventilate

Fire Products Exposed To
None

PPE Worn During Incident
Firefighting Gloves, Boots, Pant, Hood, Structure Firefighting Helmet, SCBA, Coat

PPE Malfunction?	Barrier Breach	Black Soot Around Nose	Black Soot Around Mouth
------------------	----------------	---------------------------	----------------------------

Decontamination Procedures Completed

Person 2: HARRISON, TOMMY

Action Taken 1
(44) - Hazardous materials leak control & containment

Fire Products Exposed To
None

PPE Worn During Incident
Structure Firefighting Helmet, Hood, Boots, SCBA, Coat, Pant, Firefighting Gloves

PPE Malfunction?	Barrier Breach	Black Soot Around Nose	Black Soot Around Mouth
------------------	----------------	---------------------------	----------------------------

Decontamination Procedures Completed

Person 3: SPILLERS, RYAN

Action Taken 1
(44) - Hazardous materials leak control & containment

Fire Products Exposed To
None

Person 3: SPILLERS, RYAN

PPE Worn During Incident

Boots, Firefighting Gloves, Hood, Coat, Structure Firefighting Helmet, SCBA, Pant

PPE Malfunction?	Barrier Breach	Black Soot Around Nose	Black Soot Around Mouth
------------------	----------------	------------------------	-------------------------

Decontamination Procedures Completed

Person 4: Potter, Matthew

Action Taken 1

(51) - Ventilate

Action Taken 2

(44) - Hazardous materials leak control & containment

Fire Products Exposed To

None

PPE Worn During Incident

Pant, Coat, Firefighting Gloves, SCBA, Boots, Hood, Structure Firefighting Helmet

PPE Malfunction?	Barrier Breach	Black Soot Around Nose	Black Soot Around Mouth
------------------	----------------	------------------------	-------------------------

Decontamination Procedures Completed

Unit Narrative

T11 ARRIVED ON SCENE AFTER BC2 AND INITIALLY ASSISTED WITH THE INVESTIGATION FOR SITUATIONAL AWARENESS.

T11 FOUND THE FUEL STORAGE CONTAINER TIPPED OVER PRECARIOUSLY ABOVE THE BASEMENT STAIRS AND FUEL INSIDE THE HOUSE.

T11 EVACUATED PERSONS FROM THE HOUSE AND FOUND VOC READINGS OF 80 ON OUR 4 GAS MONITOR. T11 PERSONNEL EXITED THE HOUSE AND INITIATED VENTILATION USING WINDOWS AND PPV.

T11 ENSURED THE LEAK WAS STOPPED. HOMEOWNER PLUGGED THE TANK PRIOR TO FD ARRIVAL. NO ACTIVE LEAK.

DUE TO THE POTENTIAL FOR THE TANK TO SINK FURTHER INTO THE SOFTENED DIRT T11 RIGHTED THE TANK USING A GRIP HOIST AND SECURED THE TANK UPRIGHT USING THE HOMEOWNER'S HEAVY DUTY RATCHET STRAPS.

AFTER VENTILATION AND TANK STABILITY WERE COMPLETE T11 WAS RELEASED BY COMMAND.

Created By: Potter, Matthew

BC2

Use (0) - Other	Responding From	Priority Emergent
Response Delays None/No Delay		
Dispatch Time 12:52:41, 12/21/2025	Enroute Time 12:54:41, 12/21/2025	Arrival Time 12:57:28, 12/21/2025
At Patient Time	Clear Time 14:45:16, 12/21/2025	In District Time

BC2

Actions Taken:

Provide manpower

Personnel

ERIC NYE

Unit Narrative

CFD was dispatched for a Hazmat fuel spill. BC2 arrived and found the house had fumes of diesel smell, the occupants were informed that they needed to evacuate the residence. BC2 met up with T11 and informed them of the tank on the Charlie side of the structure had sunk into the mud and tipped over and spilled half of the contents of a full 280-gallon tank. T11 worked on getting the tank straightened up since the owner had stopped the fuel leak by plugging the hole.

E13 arrived and E13 took command of the hazmat and BC2 assisted command, as E13 started getting pads and booms to soak up the fuel that had made entry into the basement and into some of the resident's belongings such as carpet, bedding and miscellaneous clothing.

BC2 went to St3 to get more pads as E13 had used all available pads on E13. E13 set up a bridge call with state comm as Bc2 worked on getting the owner a place to stay at the local motel in Caldwell.

Created By: NYC, ERIC

Order Summary

PO# 01-6-16-400-66140

Order placed January 20, 2026 Order # 112-4147204-1961826

Ship to Lorina Costa-Herb - 2nd Floor 621 CLEVELAND BLVD CALDWELL, ID 83605-4052 United States	Payment method Pay By Invoice View related transactions	Order Summary Item(s) Subtotal: \$318.38 Shipping & Handling: \$0.00 Total before tax: \$318.38 Estimated tax to be collected: \$0.00 Grand Total: \$318.38
---	--	--


Placed by GL Code Location Department Description	Lorina Herb 01-6-16-400-66140 Fire Admin 2nd Floor Fire Department Hazmat Absorb/socks	Invoices unavailable
--	--	-----------------------------

Arriving January 27



PIG Blue Oil Absorbent Sock - 20 per Package - 3" x 48" - Absorbs up to 95 oz per Sock - 2048
Sold by: Amazon
Supplied by: Other
\$76.52

Arriving January 27



3

PIG Oil Absorbing Mat Pad in Dispenser Box Absorbs Oil and Fuel Repels Water 14-Ounce Absorbency 15" x 20" Box of 200 MAT485
Sold by: Amazon
Supplied by: Other
\$80.62

[Back to top](#)



English

United States

**Idaho State Communications Center
Hazmat
H-2025-00248**

Date/Time: 12/21/2025 14:10
Caller: Dewayne Birch
Agency: Caldwell Fire & Rescue

Callback #: (208) 859 - 9145
Agency Callback #: (208) 454 - 7531

Location: 404 W Elm Street, Caldwell
County: Canyon County, ID
Release Date/Time: 12/21/2025 14:10
Primary Product ID: Diesel (No) Additional Chemicals
Markings/Numbers:
Placard #:
UNDOT:
Amount Released: 75-100 gallons
of Injuries: 0
of Exposures: 0

Situation Status

Threat Level: Moderate
Spiller Name: Keith Fearn
Spiller Address: 404 W Elm Street, Caldwell
Spiller Phone: (208) 459 - 4227

En route:
On Scene:
Returning:
In Service:

Attributes: Fixed Facility

Site Conditions

Weather Condition: Rainy
Surface Water & Distance:
Distance to Dwelling: In dwelling
Other Area: Basement
Emergency Personnel at Scene: 8 Caldwell Fire and Rescue personnel
Incident Commander Contact Info: Dwayne Birch, Caldwell Fire and Rescue, (208) 859-9145
Released Into: Other

Conference Call

Coordination Call: 12/21/2025 14:45
Classification: Level I
Classified By: Faulkner, Yolandi
Date/Time: 12/21/2025 15:01

<u>Date/Time</u>	<u>Person</u>	<u>Agency</u>	<u>Method</u>	<u>Status</u>
12/21/2025 14:16	Yolandi Faulkner	Idaho Office of Emergency Management	Cell Phone	Acknowledged
12/21/2025 14:16	Kimberly Diep	DEQ Boise	Cell Phone	Acknowledged
12/21/2025 14:23	Leksmi Vemugotam	Health District 3 - Southwest District Health	Work Phone	Acknowledged
12/21/2025 14:10	Dewane Birch	Caldwell Fire & Rescue	Work Phone	Incoming Call

Notifications

<u>Date/Time</u>	<u>Name</u>	<u>Agency</u>	<u>Method</u>	<u>Status</u>	<u>Contacted By</u>
12/21/2025 14:10	Dwane Birch	Caldwell Fire & Rescue	Cell Phone	Incoming Call	Harrison, Abby
12/21/2025 15:32	Jess	ISP District 3	Main Office	Acknowledged	Harrison, Abby
12/21/2025 15:38	Mike Sibley	EPA Region 10	Main Office	Acknowledged	Harrison, Abby

Notes

<u>Date/Time</u>	<u>Note</u>	<u>Created By</u>
12/21/2025 14:10	Dewayne Birch with Caldwell Fire and Rescue advised of a release of 75-100 gallons of diesel fuel out of a 280 gallon tank into the basement of a dwelling at 404 W Elm Street, Caldwell. The release saturated the furniture and rugs in basement. He requested a bridge to get authorization for RRT3 to be activated.	Harrison, Abby
12/21/2025 14:41	Initial Briefing Yolandi Faulkner, Idaho Office of Emergency Management (IOEM) Hazmat Duty Officer Kimberly Diep, Department of Environmental Quality (DEQ) Boise Abby Harrison, Idaho State Communications Participants were briefed on the call. A coordination call was scheduled for 1445 MST.	Harrison, Abby

12/21/2025 14:45

Coordination Call

Harrison, Abby

Yolandi Faulkner, Idaho Office of Emergency Management (IOEM) Hazmat Duty Officer
Kimberly Diep, Department of Environmental Quality (DEQ) Boise
Dewayne Birch, Incident Commander and Regional Response Team 3 (RRT3)
Leksmi Vemugotam, Health District 3 (HD3)
Abby Harrison, Idaho State Communications

Participants briefed on the incident. Dewayne Birch, IC and RRT3 added that they took a reading of 110-120 VLC on arrival, and 20-30 VLC after ventilation.

Dewayne Birch, IC, requested EPA join the call to make recommendations on cleanup and advised he will be placing absorbent pads throughout the dwelling. He provided the insurance information for the resident as follows: Farm Bureau Insurance, Policy #01-112837-01, Insurance Agent Brett Paynter.

Abby Harrison, Idaho State Communications advised that EPA Region 10 is not answering calls.

Kimberly Diep, DEQ Boise asked if the property was residential or commercial.

Dewayne Birch, IC advised that there is a shop behind the residence that he believes is only for the resident's use, but that he will confirm that is the case.

Yolandi Faulkner (IOEM) classified the incident as a Level I at 1501 MST. Kimberly Diem (DEQ) concurred.

Kimberly Diep, DEQ Boise requested that StateComm reconvene a bridge if EPA Region 10 calls back.

12/21/2025 15:38

During notification phone call, Mike Sibley of EPA Region 10 advised that the EPA does not have jurisdiction in this case unless surface water has been impacted.

Harrison, Abby

12/21/2025 15:38

Notified Kimberly Diep, DEQ Boise of EPA Region 10's answer. She advised that she is satisfied with the cleanup being handled by the resident's insurance, and that no conference call is needed with EPA Region 10.

Harrison, Abby

12/21/2025 15:46

Dewane Birch, IC advised that Caldwell Fire and Rescue is clearing the scene, and that the resident is planning to start cleanup tomorrow.

Harrison, Abby

Communications Specialists

<u>Type</u>	<u>Name</u>
Primary	Harrison, Abby
Supporting	Elliott, Jeremy